



STRATEGIES FOR NORTHERN DEVELOPMENT (SND) – KENYA

REQUEST FOR QUOTATION FOR:

- SUPPLY OF MOVABLE, GALVANIZED FOOD GRADE METALLIC DRYING RACKS
- SUPPLY OF FOOD-GRADE HDPE PLASTIC, NON-TOXIC, SUITABLE FOR FOOD AND FISH HANDLING
- SUPPLY OF WOODEN BOAT MANGA 15 (30FTS) MODIFIED FOR OUT-BOAT ENGINE MOUNTING
□ SUPPLY OF SOLAR/AC–DC CHEST FREEZER
- SUPPLY OF 15HP OUTBOARD ENGINE SUITABLE FOR FISHING BOATS
- SUPPLY OF ENERGY EFFICIENT FISH FRYING JIKOS (MADE OF CLAY/MAKIGA) & PORTABLE HYBRID DISPLAY RACK FOR FISH VENDORS
- SUPPLY OF LANGSTROTH HIVES WITH STANDS

HARRY THUKU LANE, OFF MARSABIT GENERAL HOSPITAL ROAD,
BEHIND CATHOLIC CHURCH-MARSABIT
OFF WILDLIFE ROAD, ADJACENT TO KENYA NATIONAL LIBRARY.

Tel: [+254] 741845578

E-mail: info@sndafrica.org

Website: www.sndafrica.org

Closing Date: 28th November 2025



REQUEST FOR QUOTATION

RE: SUPPLY OF ASSORTED ITEMS / EQUIPMENTS

The Strategies for Northern Development (SND), is a local non-governmental organization working with nomadic pastoralist communities in Northern Kenya and Southern Ethiopia. SND was registered in Kenya with the NGO Coordination Board as a fully-fledged NGO on 6th December 2007.

SND is driven by a vision to see a society where all pastoralist communities are resilient and live a dignified life and a mission to empower and transform pastoralist communities to be self-resilient in life. Key thematic areas of focus are;

- i. Peace, Conflict Resolution and Governance
- ii. Humanitarian Assistance and Emergency Response
- iii. Protection, Gender Equality and Inclusion
- iv. Climate Justice and Resilience
- v. Livelihood and Enterprise Development
- vi. Water, Sanitation, and Hygiene (WASH).
- vii. Health and Nutrition
- viii. Institutional Effectiveness

SND through funding from WFP intend to support the;


- 1. Supply of movable, galvanized food grade metallic drying racks.**
- 2. Supply of Food-grade HDPE plastic, non-toxic, suitable for food and fish handling.**


3. Supply of 15HP Outboard Engine Suitable for fishing boats.
4. Supply of SOLAR/AC–DC CHEST FREEZER.
5. Supply of Langstroth Hives with Stands.
6. Supply of Energy efficient fish frying jikos (made of clay/makiga) & Portable Hybrid Display Rack for Fish Vendors: NB. **THIS ITEMS/EQUIPMENTS TO BE DELIVERED AT SND OFFICE IN MARSABIT TOWN.**
7. Supply of Wooden boat Manga 15 (30fts) modified for out-boat engine mounting: **NB THE WOODEN BOAT TO BE DELIVERED AT SND OFFICE IN LOIYANGALANI.**

For this purpose, we invite bidders to submit quotations for the execution and completion of the above assignment as provided in the quotation document.

DESCRIPTION OF WORK/SERVICE


| SUPPLY OF ASSORTED ITEMS/EQUIPMENTS | | | | | | |
|-------------------------------------|--|---|------|-----|------|--------|
| Item | REF No. | Description | Unit | Qty | Rate | Amount |
| 1 | REF: SND -WFP/ LTP- DRYING RACKS /2025- 01 | Movable, galvanized food grade metallic drying racks (Assorted Sizes) Minimum Technical Specifications | Sets | 5 | | |

| | | | | | | |
|--|--|---|--|--|--|--|
| | | <ul style="list-style-type: none"> • Material: Hot-dip galvanized steel frame and galvanized welded mesh; corrosion-resistant construction. • Design: Raised rectangular drying platform with reinforced support bars and smooth welded joints; suitable for drying fish and other food products. • Mesh: Galvanized steel mesh, 1–1.5 cm openings, 2–3 mm gauge. • Mobility: Fitted with stable feet for ease of movement. • Finishing: Fully galvanized after fabrication for durability in arid environments. <p>Assorted Sizes (Three Options):</p> <ul style="list-style-type: none"> • Size 1: 3.0 m (L) × 1.0 m (W) × 0.9 m (H) • Size 2: 2.0 m (L) × 1.0 m (W) × 0.9 m (H) □ Size 3: 3.5 m (L) × 1.2 m (W) × 1.0 m (H)  | | | | |
|--|--|---|--|--|--|--|

| | | | | | | |
|---|---|--|-----|-----|--|--|
| 2 | REF: SND -WFP/ LTP- FOOD GRADE CRATES /2025- 01 | <p>Food-grade HDPE plastic, non-toxic, suitable for food and fish handling</p> <ul style="list-style-type: none"> • Type: Ventilated/perforated plastic crate • Capacity: 45–50 liters (suitable for approx. 35–45 kg of fish, depending on species & size) • Dimensions: Approx. 600 mm (L) x 400 mm (W) x 320 mm (H)  | Pcs | 100 | | |
|---|---|--|-----|-----|--|--|

| | | | | | | |
|---|---|--|-----|---|--|--|
| 3 | REF: SND -WFP/ LTP- OUTBOARD ENGINE /2025- 01 | 15HP Outboard Engine Suitable for fishing boats. The engine should have an in-line 2-cylinder configuration with a minimum displacement of 246 cm ³ and an approximate bore and stroke of 56.0 x 50.0 mm. It must deliver a maximum prop shaft output of 11.0 kW (15 PS) at 5000 rpm and operate using a carburetor fuel induction system. The engine shall be equipped with a manual starting system and be available in either or both short shaft (approximately 440 mm / 17.3 | Pcs | 4 | | |
| | | inches) and long shaft (approximately 567 mm / 22.3 inches) transom height options. The dry weight should range between 36 and 38 kg (excluding fuel and oil). The engine is expected to be fuel-efficient, durable in harsh environments, reliable for commercial fishing operations, and easy to maintain, with readily accessible spare parts and after-sales service support. Standard accessories such as a propeller, tool kit, user/maintenance manual, and manufacturer warranty should be included. | | | | |

| | | | | | | |
|---|---|---|-----|----|--|--|
| 4 | REF: SND -WFP/ LTP- SOLARIZED FREEZER /2025- 01 | <p>Solar/AC–DC Chest Freezer</p> <p>Minimum Technical Specifications</p> <ul style="list-style-type: none"> • Capacity: 150–200 litres (usable capacity sufficient for approx. 100 kg of fresh fish) • Power Requirements: AC–DC hybrid operation (220–240V AC and 12/24V DC capability) DC compressor preferred. Low energy consumption, suitable for solar operation • Cooling Performance: Temperature range: –18°C to –25°C. Fast-freeze capability. Thick insulation for longer cooling retention • Construction Features: Chest freezer design. Durable, corrosion-resistant exterior. Food-grade inner liner. Lockable lid. Minimum 1–2 storage baskets • Additional Features: Surge and overload protection. Energy-efficient performance, Low-voltage battery | Pcs | 10 | | |
| | | <p>protection feature (preferred). Low noise during operation</p> <p>Warranty & Support: Minimum 12-month warranty for compressor and parts</p> | | | | |

| | | | | | | |
|---|---|---|-----|----|--|--|
| 5 | REF: SND -WFP/ LTP- BEE HIVES /2025- 01 | Langstroth Hive With Stands | Pcs | 50 | | |
| 6 | REF: SND -WFP/ LTPENERGY EFFICIENT JIKOS/2025- 01 | <ul style="list-style-type: none"> • Energy efficient fish frying jikos (made of clay/makiga). • Portable Hybrid Display Rack for Fish Vendors Structure made of hot-dip galvanized steel tubing (Ø 25–32 mm, thickness 1.2–1.5 mm). Shelves made of clear cast acrylic or polycarbonate, thickness 6–10 mm, perforated/vented for drainage and airflow. 2–3 tiers, approximate dimensions 100 cm (L) × 50 cm  <p>(W) × 100 cm (H).</p> | Pcs | 5 | | |

| | | | | | | |
|---|--|--|-----|----|--|--|
| | | 1 Heavy aluminium Cooking woks/pans, 2 long-handled stainless steel slotted spoon, 2 PVC food-grade aprons, 4 reusable beanie caps/chefs beanies | | | | |
| 7 | REF: SND -WFP/ LTP- WOODEN BOATS /2025- 01 | Wooden boat Manga 15 (30fts) modified for out-boat engine mounting (vendor to register and license each boat as well as label) | Pcs | 16 | | |
| | | Total | | | | |

Amount in words.....

.....

Company's Name

.....

Contractor's Name

.....

Phone No

Signature



GENERAL TERMS AND CONDITIONS

- 1) **Price:** The prices stated on the order shall be held firm for the period and / or quantity unless specifically stated otherwise
- 2) **Source of Instructions:** The Supplier shall not seek nor accept instructions from any source external to SND in relation to the performance of the contract.
- 3) **Assignment:** The Supplier shall not assign, transfer, sublet or subcontract the contract or any part thereof without the prior written consent of the Buyer.
- 4) **Corruption:** The Supplier shall not give, nor offer to give, anyone employed by the Buyer an inducement or gift that could be perceived by others to be a bribe. The Supplier agrees that a breach of this provision may lead to an immediate end to business relationships and termination of existing contracts.
- 5) **Confidentiality:** All data, including but not limited to, maps, drawings, photographs, estimates, plans, reports and budgets that has been compiled by or received by the Supplier under the contract shall be the property of SND and shall be treated as confidential. All such data should be delivered to the authorized officials representing the Buyer upon request.
 - a. The Supplier may not communicate at any time to any other person, government or authority external to SND, any information that has been compiled through association with SND which has not been made public except with written authorization from the Buyer. These obligations do not lapse upon termination of the contract.
- 6) **Use of Emblem or Name:** Unless otherwise agreed in writing; the Supplier shall not advertise nor make public the fact that it is supplying goods or services to the Buyer, nor shall the Supplier in any way whatsoever use the name or emblem of SND in connection with its business or otherwise.



- 7) **Observance of Law:** The Supplier shall comply with all laws, ordinances, rules and regulations bearing upon the performance of its obligations under the terms of the contract.
- 8) **Force Majeure:** The meaning of the term can be taken to mean acts of God, war (declared or not), invasion, revolution, insurrection or acts similar in nature or force.
 - a. In the event of and as soon as possible after the occurrence of any cause deemed force majeure, the Supplier must inform the Buyer of the full particulars in writing. If the supplier is rendered unable either in part or in whole to perform its obligations then the Buyer shall take such action as it considers, in its sole discretion, to be appropriate or necessary in the circumstances.
 - b. if the Supplier is permanently rendered incapable in whole or part by reason of force majeure to complete its obligations and responsibilities under the contract then the Buyer will have the right to suspend or terminate the contract on the same terms and conditions laid out in section 9, Cancellation.
- 9) **Cancellation:** The Buyer reserves the right to cancel the contract should it suspend its activities or through changes to its mandate by virtue of the Executive Council of SND and/or lack of funding. In such a case the Supplier shall be reimbursed by SND for all reasonable costs incurred by the Supplier, including all materials satisfactory delivered and conforming to specification and terms of contract, prior to receipt of the termination notice.
 - a. Should the supplier encounter solvency problems including, but not limited to, bankruptcy, liquidation, receivership and similar, the buyer reserves the right to terminate the contract immediately without prejudice to any other right or remedy it may have under the terms of these conditions.
- 10) **Warranty:** The Supplier shall provide the Buyer with all manufacturers' warranties. The supplier warrants that all goods supplied in relation to the contract meets specification, is defect free and is fit for the purpose of the intended use. If, during the warranty period, the goods are found to be defective or non- conforming to specification, the Supplier shall promptly rectify the defect. If the defect is permanent then at the choice of the Buyer the Supplier will either replace the item at their cost or reimburse the Buyer.



- 11) **Inspection and Test:** The Supplier must inspect the goods prior to dispatch to ensure conformance to specification and/or any other provisions of the contract. The Buyer reserves the right to inspect the goods for compliance with specifications and provisions of the contract. If, in the Buyers' opinion, the goods and/or services do not comply with the specification, the Buyer will inform the Supplier in writing. In such a case the Supplier shall take the necessary action to ensure compliance, liability for any additional cost incurred for rectifying compliance will rest with the Supplier.
- 12) **Changes:** The Buyer reserves the right to make reasonable changes at any time to the specification, drawings, plans, quantity, packing instructions, destination, or delivery instruction. If any such change affects the price of goods or performance of service the Supplier and Buyer may negotiate an equitable adjustment to the contract, provided that the Supplier claims for adjustments in writing to the Buyer within 30 days from being notified of any change.
- 13) **Export Licence:** If export licenses are required for the goods, the Supplier has the responsibility to obtain that license.
- 14) **Payment Terms:** Unless otherwise agreed, payment terms will be net 30 days from receipt of a correctly prepared invoice.

ESSENTIAL REQUIRED DOCUMENTS

The tenderer must attach the following documents to the tender to be submitted;

- i). Business registration certificate or Certificate of incorporation
- ii). CR12 in case of a Partnership or sole proprietorship business photocopies of owners ID to be attached
- iii). Valid Business permit
- iv). PIN no & KRA Compliance certificate
- v). Duly filled, completed and stamped BOQ
- vi). Proof of similar assignments completed
- vii) Audited Report for the last 2 years or Bank Statement for the last 6 month



For Official Use Only

| No. | Name of staff | Designation | Date | Signature |
|-----|---------------|-------------|------|-----------|
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |

NB Quotation to be filled as per the specification given and to be submitted on or before 29th November 2025 via procurement@sndafrica.org or to be delivered to SND offices at Loiyangalani, Illeret, Marsabit or Moyale

NB 2: Vendors may submit quotations for all the items/equipment listed in the Request for Quotation or for only one of the items. Each quotation submitted must reference the unique REF No. provided, in the subject of the Email or on the ENVELOPE