



STRATEGIES FOR NORTHERN DEVELOPMENT (SND) – KENYA

**REQUEST FOR QUOTATION TO SUPPLY OF 10,000 L ITRES PLASTIC TANK & CONSTRUCTION OF TANK
PLINTHS IN TWO SCHOOLS WITHIN MOYALE & MARSABIT TOWN**

HARRY THUKU LANE, OFF MARSABIT GENERAL HOSPITAL ROAD,

BEHIND CATHOLIC CHURCH-MARSABIT

OFF WILDLIFE ROAD, ADJACENT TO KENYA NATIONAL LIBRARY.

Tel: [+254] 741845578

E-mail: info@sndafrica.org

Website: www.sndafrica.org

REF: [SND –MERCY CORPS/ 12/2026- 001 SUPPLY OF TANKS](#)

Closing Date: 16th June 2026

TENDER INVITATION

RE: SUPPLY OF 10,000 L PLASTIC TANK & CONSTRUCTION OF TANK PLINTHS

The Strategies for Northern Development (SND), is a local non-governmental organization working with nomadic pastoralist communities in Northern Kenya and Southern Ethiopia. SND was registered in Kenya with the NGO Coordination Board as a fully-fledged NGO on 6th December 2007.

SND is driven by a vision to see a society where all pastoralist communities are resilient and live a dignified life and a mission to empower and transform pastoralist communities to be self-resilient in life. Key thematic areas of focus are;

- i.** Peace, Conflict Resolution and Governance
- ii.** Humanitarian Assistance and Emergency Response
- iii.** Protection, Gender Equality and Inclusion
- iv.** Climate Justice and Resilience
- v.** Livelihood and Enterprise Development
- vi.** Water, Sanitation, and Hygiene (WASH).
- vii.** Institutional Effectiveness

SND has secured funding from the Embassy of the kingdom of Netherlands (EKN) through Mercy Corps under Resilience approach to natural rangeland Ecosystem (RANGE) Project in Marsabit County and intends to support the supply of 10,000 L plastic tank & construction of tank plinths in two schools within moyale & marsabit town

For this purpose, we invite bidders to submit quotations for the execution and completion of the above assignment as provided in the tender document.

DESCRIPTION OF WORK/SERVICE

BILL OF QUANTITIES FOR SUPPLY OF 10,000 L ITRES PLASTIC TANK & CONSTRUCTION OF TANK PLINTHS IN TWO SCHOOLS WITHIN MOYALE & MARSABIT TOWN							
Item No	<u>Description</u>	U.O.M	No of Plinths	Qty for 1 Plinth	Total Qty	Unit Cost (VAT Inclusive)	Total cost (VAT Inclusive)
	Target schools: Odda mixed sec school and Marsabit church						
1	Excavation						
	<i>Rates to include Disposal, maintaining and supporting sides and keeping free from water, mud and fallen materials by bailing, pumping or otherwise</i>						
1.1	Excavate for foundation strip commencing at stripped levels depth not exceeding 0.60m deep	m ³	2	2.11	4.22		
2	Filing						
	<i>Filling to completed structures including compaction as specified.</i>						
2.1	300 mm thick approved hardcore filling spread, well rammed and compacted in 150mm layers to receive concrete surface bed	m ³	2	1.86	3.72		
3	Concrete work						
	<i>Vibrated reinforced concrete class 20 (1:2:4) with 20mm maximum aggregate as described in:</i>						
	Provide and Place structural concrete Class 20						
3.1	50mm Strip foundation lean concrete	m ³	2	0.176	0.352		
3.2	150 mm thick floor slab	m ³	2	1.06	2.12		
4	FOUNDATION AND ABOVE THE GROUND WALLING						

	<u>Foundation quarry stone walling in cement and sand (1:2) mortar reinforced with and including 25 x 3mm thick hoop iron in every alternate course.</u> 200mm Thick walling (9" x 9")						
4.1	550mm deep foundation	m ³	2	0.968	1.936		
					0		
4.2	350mm above the ground	m ³	2	0.62	1.24		
4.3	Water fetching area	m ³	2	0.15	0.3		
5	Reinforcement Supply, cut, bend and install reinforcement steel bars to be placed at the bottom layer of the slab, Serving as both main and distribution reinforcement						
5.1	D10	kgs	2	22.7	45.4		
5.2	D12	kgs	2	32.69	65.38		
	Total Brought Forward to Collection page						
6	Sawn formwork <i>Provide and fix shuttering including propping, strutting and striking all as specified</i>						
	<u>Sawn formwork (fair finish) to:-</u>						
6.1	Formwork to edges of floor slab girth not exceeding 200mm	m ²	2	1.5	3		
7	Finishes						
	<u>Cement and sand mortar (1:2) in:</u>						
7.1	15 mm Thick plaster to walls and floors with water proof cement	m ²	2	11.77	23.54		
7.2	25 mm Thick screed steel trowelled to floor and walls	m ²	2	11.78	23.56		
8	Tank & Associated plumbing works <i>Installation of 10m³ Plastic Branded Storage Tank, installation of all pipework, gutter connection, fittings and specials</i>						

8.1	10m³ plastic tank <i>Tank should include a DN 15mm drawoff tap, OD 50mm Overflow provision. walls should be corrugated, One-piece moulding with no joints, leak-proof and should be able to withstand long exposure to sunlight. preferably Kentank/Rototank</i>	Ls	2	1	2		
8.2	Tank Branding.(<i>Branding Logos to be provided by the client</i>)	Ls	2	1	2		
9	Plastic Rain water gutters <i>Rates to include for supply & installation of gutters, Extra over gutter for union, Gutter stop end, support brackets, Stop end with running outlet, connection to tank and other installation accessories(down pipe should be anchored to prevent sagging and damage by wind</i>						
9.1	Plastic rain water gutters	Mtrs	2	40	80		
9.2	allow for the installations of fascia boards to allow the installations of rain water harvesting gutters to the marsabit church	Mtrs	1	44	44		
10	Transportation Cost						
10.1	Allow transportation of materials to the site both local/hardware materials	ls	1	1	1		
	Total Brought Forward to collection page						
	<u>COLLECTION</u>						
	Sub-Total 1 from collection						
	Sub-Total 2 from collection						
	TOTAL COST						



Amount in words.....

.....
.....

Company's Name

.....

Contractor's Name

.....

Phone Number

Signature

GENERAL TERMS AND CONDITIONS

- 1) **Price:** The prices stated on the order shall be held firm for the period and / or quantity unless specifically stated otherwise
- 2) **Source of Instructions:** The Supplier shall not seek nor accept instructions from any source external to SND in relation to the performance of the contract.
- 3) **Assignment:** The Supplier shall not assign, transfer, sublet or subcontract the contract or any part thereof without the prior written consent of the Buyer.
- 4) **Corruption:** The Supplier shall not give, nor offer to give, anyone employed by the Buyer an inducement or gift that could be perceived by others to be a bribe. The Supplier agrees that a breach of this provision may lead to an immediate end to business relationships and termination of existing contracts.
- 5) **Confidentiality:** All data, including but not limited to, maps, drawings, photographs, estimates, plans, reports and budgets that has been compiled by or received by the Supplier under the contract shall be the property of SND and shall be treated as confidential. All such data should be delivered to the authorized officials representing the Buyer upon request.
 - a. The Supplier may not communicate at any time to any other person, government or authority external to SND, any information that has been compiled through association with SND which has not been made public except with written authorization from the Buyer. These obligations do not lapse upon termination of the contract.
- 6) **Use of Emblem or Name:** Unless otherwise agreed in writing; the Supplier shall not advertise nor make public the fact that it is supplying goods or services to the Buyer, nor shall the Supplier in any way whatsoever use the name or emblem of SND in connection with its business or otherwise.
- 7) **Observance of Law:** The Supplier shall comply with all laws, ordinances, rules and regulations bearing upon the performance of its obligations under the terms of the contract.
- 8) **Force Majeure:** The meaning of the term can be taken to mean acts of God, war (declared or not), invasion, revolution, insurrection or acts similar in nature or force.
 - a. In the event of and as soon as possible after the occurrence of any cause deemed force majeure, the Supplier must inform the Buyer of the full particulars in writing. If the supplier is rendered unable either in part or in whole to perform its obligations then the Buyer shall take such action as it considers, in its sole discretion, to be appropriate or necessary in the circumstances.
 - b. If the Supplier is permanently rendered incapable in whole or part by reason of force majeure to complete its obligations and responsibilities under the contract then the Buyer will have the right

to suspend or terminate the contract on the same terms and conditions laid out in section 9, Cancellation.

- 9) **Cancellation:** The Buyer reserves the right to cancel the contract should it suspend its activities or through changes to its mandate by virtue of the Executive Council of SND and/or lack of funding. In such a case the Supplier shall be reimbursed by SND for all reasonable costs incurred by the Supplier, including all materials satisfactory delivered and conforming to specification and terms of contract, prior to receipt of the termination notice.
 - a. Should the supplier encounter solvency problems including, but not limited to, bankruptcy, liquidation, receivership and similar, the buyer reserves the right to terminate the contract immediately without prejudice to any other right or remedy it may have under the terms of these conditions.
- 10) **Warranty:** The Supplier shall provide the Buyer with all manufacturers' warranties. The supplier warrants that all goods supplied in relation to the contract meets specification, is defect free and is fit for the purpose of the intended use. If, during the warranty period, the goods are found to be defective or non-conforming to specification, the Supplier shall promptly rectify the defect. If the defect is permanent then at the choice of the Buyer the Supplier will either replace the item at their cost or reimburse the Buyer.
- 11) **Inspection and Test:** The Supplier must inspect the goods prior to dispatch to ensure conformance to specification and/or any other provisions of the contract. The Buyer reserves the right to inspect the goods for compliance with specifications and provisions of the contract. If, in the Buyers' opinion, the goods and/or services do not comply with the specification, the Buyer will inform the Supplier in writing. In such a case the Supplier shall take the necessary action to ensure compliance, liability for any additional cost incurred for rectifying compliance will rest with the Supplier.
- 12) **Changes:** The Buyer reserves the right to make reasonable changes at any time to the specification, drawings, plans, quantity, packing instructions, destination, or delivery instruction. If any such change affects the price of goods or performance of service the Supplier and Buyer may negotiate an equitable adjustment to the contract, provided that the Supplier claims for adjustments in writing to the Buyer within 30 days from being notified of any change.
- 13) **Export Licence:** If export licenses are required for the goods, the Supplier has the responsibility to obtain that license.
- 14) **Payment Terms:** Unless otherwise agreed, payment terms will be net 30 days from receipt of a correctly prepared invoice.

ESSENTIAL REQUIRED DOCUMENTS

The tenderer must attach the following documents to the tender to be submitted;

- i). Business registration certificate or Certificate of incorporation
- ii). CR12 or Copies of ID No in case of Sole Proprietorship form of Business
- iii). Valid Business permit
- iv). PIN no & KRA Compliance certificate
- v). Duly filled, completed and stamped BOQ
- vi). Proof of similar assignments completed
- vii) Audited Report for the last 2 years or Bank Statement for the last 6 month

For Official Use Only




No.	Name of staff	Designation	Date	Signature
1				
2				
3				
4				
5				

NB Quotation to be filled as per the specification given and to be submitted on or before 12.00 Noon on 16th June 2026 via procurement@sndafrica.org or to be delivered to SND offices at Marsabit or Moyale

NB 2 : The RFQ should be referenced **SND –Mercy corps/ 12/2026- 001 supply of tanks** as the subject of the Email or on the ENVELOPE



TANK BASE LAYOUT DESIGN



STRIP FOUNDATION EXCAVATION
 WIDTH = 0.40m
 DEPTH = 0.60m

- NOTES:**
1. ALL DIMENSIONS ARE IN METRES.
 2. CONCRETE: 1:2:4 (20MPa)
 3. MASS CONCRETE / STRIP FOUNDATION: 1:3:6
 4. ALL FILLING TO BE WELL COMPACTED IN LAYERS.
 5. WALLING TO BE PLUMB AND TRUE.
 6. PROVIDE 50mm LEAN CONCRETE BLINDING BELOW FOUNDATION.
- NOTE:** THE TOTAL DEPTH BELOW GROUND LEVEL IS 0.60m (0.55m FOUNDATION WALL + 0.05m LEAN CONCRETE).

DESIGN AND DRAWN BY: SND	TITLE: TANK BASE LAYOUT DESIGN	DATE: 8/06/2026	SCALE: AS SHOWN	CLIENT: SND
------------------------------------	--	---------------------------	--------------------	-----------------------